

# VkCoreGL® SC2 Application Library

## FEATURES & BENEFITS

- Provides and OpenGL SC 2.0 API along with EGL 1.4
- Designed and developed from ground up for high performance, and safety critical certification (including RTCA DO-178C / EUROCAE ED-12C Level A, ISO 26262 ASIL B).
- Integrated and compatible with popular safety critical HMI tools such as ANSYS® SCADE®, Presagis' VAPS XT, ENSCO®'s iData® and DiSTI's GL Studio®.
- Contains no open source and no 3rd party software
- Supports the EGL\_EXT\_compositor
- Supports RTOS, including Wind River® VxWorks®/VxWorks 653, SYSGO PikeOS®, QNX OS, Green Hills Software® INTEGRITY®/INTEGRITY178 tuMP, DDC-I Deos™, Lynx Software Technologies LynxOS®/LynxOS-178/LynxSecure, Linux, and is configurable for proprietary RTOS or 'bare metal' (no RTOS)
- Available with CertCore™ 178 (Avionics DO-178C / ED-12C Level A, C and D) safety certification packages
- Available with ISO 26262 Accredited Safety Assessment Certificate
- Solutions aligned with latest Future Airborne Capability Environment (FACE™) Technical Standard

## INTRODUCTION

CoreAVI's VkCoreGL SC2 is an application library designed to run on CoreAVI's VkCore® SC Vulkan®-based safety critical graphics and compute driver. VkCoreGL SC2 provides an OpenGL SC 2.0 API that enables integrators to run legacy OpenGL® SC 2.0 applications while simultaneously taking advantage of the advanced capabilities of Vulkan. VkCoreGL SC2 supports fragment and vertex shaders and supports the following extensions:

*OES\_depth24, OES\_depth32, OES\_element\_index\_uint, OES\_rgb8\_rgba8, OES\_standard\_derivatives, OES\_texture\_npot*

VkCore SC utilizes EGL 1.4 for the platform interface which includes the EGL\_EXT\_Compositor extension for multiple window composition.

Built with a similar superset of Khronos' OpenGL SC 2.0 specification as CoreAVI's ArgusCore™ SC2 safety critical graphics drivers, the VkCoreGL SC2 application libraries support a programmable graphics rendering pipeline (1). This allows safety critical applications to take greater advantage of the performance gains by utilizing modern graphics processor shader engines while still maintaining the ability to achieve the highest levels of safety certification. VKCoreGL SC2 enables users to deploy modern GPU shader programs in safety certifiable environments.

(1) Please contact CoreAVI for a list of specification extension differences.

## EGL PLATFORM INTERFACE

The interface between VkCoreGL SC2 rendering and the underlying native platform window system is provided by EGL 1.4 including the EGL\_EXT\_compositor extension. The extension minimizes application effort, enabling composition of multiple windows within a single or multi-partition graphics system. It provides a standard windowing API for FACE alignment and can be used in mixed assurance level situations, making it an ideal choice for embedded avionics, defense and automotive applications.

The EGL\_EXT\_Compositor may also reduce the cost of making changes to the application. The application could be separated into different sub-applications with the compositor amalgamating the sub-applications' output into a complete display where only a sub-set of the applications affected by a change would need to go through the change process.

## CERTCORE™ 178

CoreAVI's complete RTCA DO-178C and EUROCAE ED-12C Level A certification data packages support the use of VkCoreGL SC2 application libraries in any avionics safety certification.

## DEVELOPMENT INTERFACE AGREEMENT

The intent of a Development Interface Agreement (DIA) is to define the responsibilities of the customer and supplier in facilitating the development of a functional safety system.

In custom developments, the DIA is a key document executed between customer and supplier early in the process of developing both the system and the CoreAVI drivers and libraries.

As the CoreAVI libraries are Commercial-Off-The-Shelf (COTS) products, CoreAVI has prepared a standard DIA which describes the support that CoreAVI can provide for customer developments. Please refer requests for custom DIAs to CoreAVI Sales.

The following sections highlight key points of the standard DIA.

### *Requirements Transfer*

The VkCoreGL SC2 product is developed as a Safety Element out of Context (SEooC). Detailed safety requirements were not available from lead customers during development. Therefore, the safety requirements used were based on CoreAVI analysis of target safety applications. CoreAVI is willing to discuss acceptance of new customer safety requirements for future designs. Please contact CoreAVI Sales for further information.

### *Availability of Safety Documentation*

The following table lists the safety documentation for the library:

DELIVERABLE	CONTENTS	AVAILABILITY	DELIVERY
Safety Manual	Document usage, assumptions, issues, etc. of SEooC to put the SEooC into a safety context (application)	NDA material	TBD

### *Evaluation Support*

VkCoreGL SC2 application libraries are available for Windows 10 on a 12 month evaluation license which includes support.

### *External Product Audits*

CoreAVI works with TUV Rhineland® for an external audit of VkCoreGL SC2 to ISO 26262 standards.

Contact [Sales@CoreAVI.com](mailto:Sales@CoreAVI.com) for more information on VkCoreGL SC2.

The information contained in this document is for informational purposes only and is subject to change without notice. While every precaution has been taken in the preparation of this document, it may contain technical inaccuracies, omissions and typographical errors, and CoreAVI is under no obligation to update or otherwise correct this information. CoreAVI makes no representations or warranties with respect to the accuracy or completeness of the contents of this document, and assumes no liability of any kind, including the implied warranties of non-infringement, merchantability or fitness for particular purposes, with respect to the operation or use of CoreAVI hardware, software or other products described in this document. No license, including implied or arising by estoppel, to any intellectual property rights is granted by this document. Terms and limitations applicable to the purchase or use of CoreAVI's products are as set forth in a signed agreement between the parties. CoreAVI, the CoreAVI tracer logo, VkCore®, VkCoreGL®, ArgusCore™, CertCore™ 178, ComputeCore™, and combinations thereof are trademarks of CoreAVI. PCIe and PCI Express are registered trademarks of PCI-SIG Corporation. ARM and Cortex are registered trademarks of ARM Limited in the UK and other countries. Other product names used in this publication are for identification purposes only and may be trademarks of their